

In the Claims:

Please cancel claims 1-8 and 22-31, without prejudice.

1-8. (Cancelled)

9. (Original) A liquid crystal display device comprising: a transparent electrode; a reflecting plate having wrinkle-like unevenness on the surface thereof; and a liquid crystal layer provided between the transparent electrode and the reflecting plate, wherein at least part of the wrinkle-like unevenness has a first linear part extending in a first part, a second linear part extending from the top end of the first linear part in a second direction different from the first direction by certain angles to a predetermined side, and a third linear part extending from the top end of the second linear part in a direction which different from the second direction by certain angles to the predetermined side.

10. (Original) A liquid crystal display device, as set forth in claim 9, wherein the direction in which the wrinkle-like unevenness mainly extends is a vertical or transverse direction on the display surface of the liquid crystal display device.

11. (Original) A liquid crystal display device, as set forth in claim 9, wherein the distance between neighboring crests or troughs of the wrinkle-like unevenness is equal to or less than 15mm.

12. (Original) A liquid crystal display device, as set forth in claim 9, wherein the distance between neighboring crests or troughs of the wrinkle-like unevenness differs randomly.

13. (Original) A liquid crystal display device, as set forth in claim 9, wherein the distance between neighboring crests or troughs of the wrinkle-like unevenness differs from each another for each pixel.

14. (Original) A liquid crystal display device, as set forth in claim 9, wherein the difference between the first direction and the second direction and the difference between the second direction and the third direction are equal to or less than 45° .

15. (Original) A liquid crystal display device, as set forth in claim 9, wherein the average tilting angle of the wrinkle-like unevenness is 5° to 15° .

16. (Original) A liquid crystal display device, as set forth in claim 9, further comprising a structure provided beneath the reflecting plate and having unevenness, wherein the wrinkle-like unevenness of the reflecting plate is almost in accordance with the unevenness of the structure.

17. (Original) A liquid crystal display device, as set forth in claim 16, wherein the structure is formed in the same layer as at least any one of the signal wire, gate wire and storage capacitor of the TFT substrate, or part of the structure is formed in the same layer as at least one of the signal wire and the gate wire of the TFT substrate.

18. (Original) A liquid crystal display device, as set forth in claim 17, wherein at least any one of the signal wire, gate wire and storage capacitor is bent in a similar fashion as the structure.

19. (Original) A liquid crystal display device, as set forth in claim 18, wherein the side of a pixel electrode is bent in a similar fashion as the structure.

20. (Original) A liquid crystal display device, as set forth in claim 9, wherein the reflecting plate has a light transmission domain and a display of a transmission type and a display of a reflection type are possible.

21. (Original) A liquid crystal display device, as set forth in claim 9, wherein the liquid crystal layer is of a vertically aligned type using n-type liquid crystal.

22-31. (Cancelled)